

25X1

~~SECRET~~
SECURITY INFORMATION

REPORT

25X1

COUNTRY Czechoslovakia
SUBJECT POL Dump near Milovice

DATE DISTR. 31 Aug. 53

NO. OF PAGES 3

PLACE
ACQUIREDNO. OF ENCLS. 1
(LISTED BELOW)DATE
ACQUIRED BYSUPPLEMENT TO
REPORT NO.

25X1

DATE OF INFO

THIS IS UNEVALUATED INFORMATION

25X1

1. The POL dump for the 3rd Tank Division [] Encl. A, Pt. 57 25X1
was located in a clear, grass-surfaced area 500 m. northeast of Benatecka Vrutice, three kilometers northwest of Milovice N 50-14, E 14-547, six kilometers north of Lyssa nad Labem and adjacent to and north of the road from Milovice to Benatecka Vrutice Encl. A, Pt. 17. The area was one kilometer long to the east and west and was 200 m. wide. All storage facilities were underground. There were no railroad lines in the immediate vicinity of the dump and the only access to the area was by the road from Milovice to Benatecka Vrutice.
2. The only security measures [] at this POL dump were the 25X1
guards who were located at the gate Encl. A, Pt. 37. During daylight hours, there was one guard armed with a submachine gun, and at night an additional guard was posted.

ENCLOSURE:

A. [] Sketch of the POL Dump.

25X1

USAF review completed.

~~SECRET~~

SECURITY INFORMATION

25 YEAR RE-REVIEW

ENCLOSURE A


SECRET

25X1

Sketch of the POL Dump.

- 3 -

25X1



SECRET

ENCLOSURE A (Cont'd)

S E C R E T

- 4 -

25X1

LEGEND

Point # 1. Milovice-Benatecka Vrutice Road.

2. Guard House: This was a one-story, wooden building two by two by three meters in size, painted in alternating red, blue, and white "V" designs. It had a tar-papered, gable roof. This building was used by the military guards who guarded the gate /Ft. #3/ and checked the vehicles and personnel that entered the area.

3. Gate: This was a railroad-type gate seven meters wide which blocked the road and entrance to the area.

4. 3rd Tank Division POL Area: This area was one kilometer long to the east and west and was 200 m. wide.

25X1

25X1

5. Drainage Ditch: This was a concrete ditch one meter wide.

25X1

6. Ventilation Pipes: These were steel pipes 20 cm. in diameter which protruded 50 cm. above ground level. Affixed to the top of the pipes were covers to prevent water from seeping through but also to afford ventilation to the tanks below.

7. Barracks: This was a one-story, gray stuccoed brick building 10 x 5 x 4 m. in size with a red tile gable roof used by the personnel who maintained and operated this POL dump.

8. Concrete Area: This area was 20 m. long to the east and west and 4 m. wide.

25X1

25X1

9. Gas Pump: This was an electric gas pump used for servicing the division's vehicles.

S E C R E T